

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3244	(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 08:44
L2	44	L1 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 08:59
L4	2	L2 and(dual or two or twine)adj different adj image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 08:37
L5	2	L4 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or @ptad<"20020920")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 08:51
L6	2	L4 and @ad<"20020920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/10 08:38
L7	2863	382/152,154,252,270,274.ccls.	USPAT	OR	ON	2007/12/10 08:42
L8	4554	345/419,605,611,473,952,426,428.ccls.	USPAT	OR	ON	2007/12/10 08:42
L9	894	396/60,257,213,89.ccls.	USPAT	OR	ON	2007/12/10 08:43
L10	605	358/3.24,462.ccls.	USPAT	OR	ON	2007/12/10 08:43
L11	2322	324/309.ccls.	USPAT	OR	ON	2007/12/10 08:44
L12	1254	355/40.ccls.	USPAT	OR	ON	2007/12/10 08:44
L13	137	367/50.ccls.	USPAT	OR	ON	2007/12/10 08:44

EAST Search History

L14	79	L7 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:51
L15	0	L14 and captur\$4 near2(plurality or plural\$1)and image\$1 and different adj illuminat\$3 and(depth or height)	USPAT	OR	ON	2007/12/10 08:46
L16	79	L14 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:51
L17	3	L16 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	USPAT	OR	ON	2007/12/10 08:52
L18	3	L17 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	USPAT	OR	ON	2007/12/10 08:52
L19	2	L18 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or @ptad<"20020920")	USPAT	OR	ON	2007/12/10 08:52
L20	50	L8 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:53

EAST Search History

L21	50	L20 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:53
L23	1	L21 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	USPAT	OR	ON	2007/12/10 08:53
L24	1	L23 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	USPAT	OR	ON	2007/12/10 08:54
L25	0	L24 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or @ptad<"20020920")	USPAT	OR	ON	2007/12/10 08:56
L26	8	L9 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:54
L27	8	L26 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:54
L28	0	L27 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	USPAT	OR	ON	2007/12/10 08:55

EAST Search History

L29	1	L27 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	USPAT	OR	ON	2007/12/10 08:55
L30	1	L10 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:56
L31	1	L30 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:57
L32	0	L31 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	USPAT	OR	ON	2007/12/10 08:56
L33	1	L31 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	USPAT	OR	ON	2007/12/10 08:56
L34	1	L33 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or ptad<"20020920")	USPAT	OR	ON	2007/12/10 09:04
L35	1	L11 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:57

EAST Search History

L36	1	L35 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:57
L37	0	L36 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	USPAT	OR	ON	2007/12/10 08:57
L38	0	L36 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	USPAT	OR	ON	2007/12/10 09:04
L39	4	L12 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:58
L40	0	L39 and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)	USPAT	OR	ON	2007/12/10 08:57
L41	4	L39 and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:57
L42	2	L41 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	USPAT	OR	ON	2007/12/10 09:00

EAST Search History

L43	2	L42 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or ptad<"20020920")	USPAT	OR	ON	2007/12/10 08:58
L44	0	L13 and(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)same illuminat\$3 and(light adj source or single)	USPAT	OR	ON	2007/12/10 08:58
L45	15	(generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)and (illuminat\$3 or light adj source or single adj light) and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values).CLM.	US-PGPUB	OR	ON	2007/12/10 09:06
L46	15	L45 and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)	US-PGPUB	OR	ON	2007/12/10 09:04
L47	15	L46 and(@ad<"20020920" or @rlad<"20020920" or @prad<"20020920" or ptad<"20020920")	US-PGPUB	OR	ON	2007/12/10 09:05

EAST Search History

L48	0	((generat\$4 or creat\$4)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D) and(captur\$3 or obtain\$3)and(dual or two or twine)adj image\$1 and(plurality or plural\$1 or multiple or many or sets)and (illuminat\$3 or light adj source or single adj light) and comput\$3 adj(pair or plurality or plural\$1 or multiple)and(pixel\$1 and pixels)and image\$1 and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and different adj image\$1 and(dual or two or twine)and(depth or height or pseudo adj image\$1 or 3-D or three adj dimensional\$1 or 3D)and(pixel\$1 or values)).CLM.	US-PGPUB	OR	ON	2007/12/10 09:06
-----	---	--	----------	----	----	------------------



Welcome United States Patent and Trademark Office

[Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Mon, 10 Dec 2007, 9:22:02 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

[Run Search](#)

[Reset](#)

- Select a search number (#) to:
- Add a query to the Search Query Display
 - Combine search queries using AND, OR, or NOT
 - Delete a search
 - Run a search

Recent Search Queries			Results
#1	(((generat* or creat*)<paragraph>(depth or height or pseudo <paragraph>image* or 3-d or three dimensional\$1 or 3d) <near/2> (plurality or plural*) <paragraph>illuminat\$3)<in>metadata)		0
#2	(((generat* or creat*)<paragraph>(depth or height or pseudo <paragraph>image* or 3-d or three dimensional\$1 or 3d) <near/2> (plurality or plural*)<paragraph>illuminat\$3)<in>metadata)		0
#3	(((generat* or creat*)<paragraph>(depth or height or pseudoimage* or 3-d or three dimensional\$1 or 3d) <paragraph> captur*<near/2>(plurality or plural*) <paragraph> image* <near/2> different<paragraph> illuminat\$3)<in>metadata)		0
#4	(((generat* or creat*)<paragraph>(depth or height or pseudoimage* or 3-d or three dimensional\$1 or 3d))<in>metadata)		10029
#5	((4 and captur*<near/2>(plurality or plural*)<paragraph> image* <near/2> different<paragraph>illuminat\$3)<in>metadata)		0
#6	((captur*<near/2>(plurality or plural*)<paragraph> image* <near/2> different<paragraph>illuminat\$3)<in>metadata)		0
#7	((4 and captur*<near/2>image* <paragraph> (plurality or plural*)<near/2> different <paragraph> illuminat\$3)<in>metadata)		0

[Clear Session History](#)

